

Application
Number Submit

IDS Flag Clearance for Application 10802944

**IDS
Information**

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
M844	2004-03-18	9	Y <input checked="" type="checkbox"/>	2005-11-28 08:20:31.0	HSawhney
<input type="button" value="Update"/>					

	Type	Ref #	Hits	Search Text	DBs
1	BRS	S1	318676	((light pen) or stylus or (input apparatus or device or pen)) or (pen light) or (pen with (scanner pen head)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	S2	13	S1 and ((remov\$5 or detach\$6) ((tip or lead) end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	S3	21	S1 and ((remov\$5 or detach\$6) ((tip or lead\$4) end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	S4	275690	((light (source or bulb)) or ((light emitting diod\$4) or "LED")) and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	S5	23827	S1 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	S6	0	S5 and ((remov\$5 or detach\$6) ((tip or lead) end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	S7	1	S5 and ((remov\$5 or detach\$6) ((tip or lead\$4) end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	S9	2617	S5 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	S10	1079	S5 and "348"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	S11	771	S5 and "382"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	S12	0	S5 and "286"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
12	BRS	S14	461	S5 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	S15	606	S5 and "715"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	S16	5421	S8 or S9 or S10 or S11 or S12 or S13 or S14 or S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	S17	2393	S16 and ((power source) or batter\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	S18	136	S16 and ((power source) or batter\$4) and (current control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	S8	327	S5 and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	S13	81	S5 and "706"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	S19	1627	S1 and 345/179-183.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	S20	295	S5 and 345/179-183.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	S21	247	S20 and @ad < "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	S22	22	("20020021291" "20020135536" "3673 579" "4315282" "4677428" "5239373" "6044165" "6154200" "6623136" "665 7618").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
23	BRS	S23	10	("20020021291" "20020135536" "3673579" "4315282" "4677428" "5239373" "6044165" "6154200" "6623136" "6657618").PN.	US-PGPUB; USPAT
24	IS&R	S24	2	((("6529189") or ("6882340"))).PN.	USPAT
25	BRS	S25	9	("20010008389" "20030122804" "5111004" "5419563" "5447167" "5977959" "6259438" "6307956" "6330359").PN. OR ("6882340").URPN.	US-PGPUB; USPAT; USOCR
26	BRS	S26	14	("4430526" "4672154" "4787051" "4814552" "5051736" "5757362" "5959617" "6130666" "6151015" "6160539" "6188392" "6229601" "6292181").PN. OR ("6529189").URPN.	US-PGPUB; USPAT; USOCR
27	BRS	S27	311	362/118.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	S28	834303	(light emitting diod\$4) or "LED"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	S29	73	S27 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	S30	11	("5803583" "5939702" "6129473").PN. OR ("6238119").URPN.	US-PGPUB; USPAT; USOCR
31	BRS	S31	319033	((light pen) or stylus or (input apparatus or device or pen)) or (pen light) or (pen with (scanner pen head))) or (writting (tool or apparatus or pen))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	S32	32401	S31 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	S33	81	((light emitting diod\$4) or "LED" with switch) with ("within" or "in") with (end portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
34	BRS	S34	6	S33 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	S35	193723	((light emitting diod\$4) or "LED" with switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	BRS	S36	14413	S31 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	BRS	S37	221	S36 and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	S38	1708	S36 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	S39	200	S36 and "345"/179,183,180,182.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	BRS	S40	30	S36 and "362"/118.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	BRS	S41	228	S39 or S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	BRS	S42	21	("4794384" "5414227" "5477012" "5644139").PN. OR ("6151015").URPN.	US-PGPUB; USPAT; USOCR
43	BRS	S48	5	362/118.ccls. and (current (regulator or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	BRS	S49	20613	((light emitting diod\$4) or "LED") and (current (regulator or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
45	BRS	S50	2	((light emitting diode\$4) or "LED") and (current (regulator or control\$4)) and 362/118.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	BRS	S51	4	("4475240" "5736980" "6099185" "6106132").PN. OR ("6623135").URPN.	US-PGPUB; USPAT; USOCR
47	BRS	S52	12	("2663791" "2811632" "4890204" "5131775").PN. OR ("6099185").URPN.	US-PGPUB; USPAT; USOCR
48	BRS	S53	319317	((light pen) or stylus or (input apparatus or device or pen)) or (pen light) or (pen with (scanner pen head)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	S54	1991	((light emitting diode\$4) or "LED") and (current (regulator or control\$4)) and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	S55	1519	S54 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	BRS	S56	711	S54 and switch and battery\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	BRS	S57	361	S54 and switch and battery\$4 and write\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	BRS	S58	9	S54 and switch and battery\$4 and write\$5 and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	BRS	S59	845	((light emitting diode\$4) or "LED") and (current (regulator or control\$4)) and pen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	BRS	S60	442	((light emitting diode\$4) or "LED") and (current (regulator or control\$4)) and pen and battery\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
56	BRS	S61	413	((light emitting diode\$4) or "LED") and (current (regulator or control\$4)) and pen and battery\$4 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	BRS	S62	0	((light emitting diode\$4) or "LED") and (current (regulator or control\$4)) and pen and battery\$4 and (surface switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	BRS	S63	16	((light emitting diode\$4) or "LED") and (current (regulator or control\$4)) and pen and battery\$4 and (pressure switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	BRS	S64	1	("2002/0021291").URPN.	USPAT
60	BRS	S65	28	("1610006" "2811632" "2979602" "3963914" "4028540").PN. OR ("5193897").URPN.	US-PGPUB; USPAT; USOCR
61	BRS	S66	32	("4517628" "4563728" "4916579" "5056097" "5193897").PN. OR ("5343376").URPN.	US-PGPUB; USPAT; USOCR
62	BRS	S67	28	("1610006" "2811632" "2979602" "3963914" "4028540").PN. OR ("5193897").URPN.	US-PGPUB; USPAT; USOCR
63	BRS	S68	305	362/118.ccls. or 362/118.ccls.	US-PGPUB; USPAT; USOCR
64	BRS	S69	215081	S53 or 362/118.ccls.	US-PGPUB; USPAT; USOCR
65	BRS	S70	9926	(switch with press\$4) and S69	US-PGPUB; USPAT; USOCR
66	BRS	S71	247	(switch with press\$4) and S69 and S49	US-PGPUB; USPAT; USOCR
67	BRS	S72	120	(switch with press\$4) and S69 and S49 and battery\$3	US-PGPUB; USPAT; USOCR
68	BRS	S73	319560	S53 or 362/118.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	BRS	S74	9926	(switch with press\$4) and S73	US-PGPUB; USPAT; USOCR
70	BRS	S75	247	(switch with press\$4) and S73 and S49	US-PGPUB; USPAT; USOCR
71	BRS	S76	120	(switch with press\$4) and S73 and S49 and battery\$4	US-PGPUB; USPAT; USOCR
72	BRS	S77	0	S76 not S72	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
73	IS&R	S80	3	((("5343376") or ("6151015") or ("5294792"))).PN.	USPAT
74	IS&R	S82	5	((("5343376") or ("6151015") or ("5294792") or ("5453759") or ("6129473"))).PN.	USPAT
75	IS&R	S78	1	("5343376").PN.	USPAT
76	BRS	S95	45695	S91 and S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	BRS	S92	834690	((light emitting diod\$4) or "LED")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	BRS	S84	0	((light emitting diod\$4) or "LED") and (current (regulator or control\$4)) and pen and ((pen near2 down) switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
79	BRS	S98	6259	362/102,110-114,116- 120,800,802,812,579.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	IS&R	S81	4	((("5343376") or ("6151015") or ("5294792") or ("5453759"))).PN.	USPAT
81	BRS	S99	1860	345/1.156,179,180,183.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
82	BRS	S100	1218	348/14.01,141.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	BRS	S101	226	365/114,115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	IS&R	S79	2	((("5343376") or ("6151015"))).PN.	USPAT
85	BRS	S86	0	("2003/0076310").URPN.	USPAT
86	BRS	S106	359	S105 not S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
87	BRS	S102	438	178/15,19.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	BRS	S103	169	704/266.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	BRS	S105	401	S104 and S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
90	IS&R	S83	6	((("5343376") or ("6151015") or ("5294792") or ("5453759") or ("6129473") or ("6882340"))).PN.	USPAT
91	BRS	S87	9	("20010008389" "20030122804" "5111004" "5419563" "5447167" "5977959" "6259438" "6307956" "6330359").PN. OR ("6882340").URPN.	US-PGPUB; USPAT; USOCR
92	IS&R	S88	4	((("2811632") or ("7009594") or ("3917955") or ("3885096"))).PN.	USPAT
93	BRS	S89	38	("3242470" "3292489" "3761877").PN. OR ("3885096").URPN.	US-PGPUB; USPAT; USOCR
94	BRS	S93	591582	(light (source or bulb))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
95	BRS	S90	956	362/118,33,97.ccls.	US-PGPUB; USPAT; USOCR
96	BRS	S85	10	((light emitting diod\$4) or "LED") and pen and ((pen near2 down) switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
97	BRS	S91	319317	((light pen) or stylus or (input (apparatus or device or pen)) or (pen light) or (pen with (scanner pen head)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
98	BRS	S94	1323798	S92 or S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
99	BRS	S97	49	S96 and S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
100	BRS	S96	23858	S91 and S94 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
101	BRS	S104	10154	S98 or S99 or S100 or S101 or S102 or S103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
102	IS&R	S107	1	("6238119").PN.	USPAT; USOCR
103	BRS	S108	1	"20040174698"	US-PGPUB
104	IS&R	S109	1	("3885096").PN.	USPAT; USOCR
105	BRS	S110	38	("3242470" "3292489" "3761877").PN. OR ("3885096").URPN.	US-PGPUB; USPAT; USOCR
106	BRS	S145	377	S138 or S139 or S140 or S141 or S142 or S143 or S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
107	BRS	S146	291	S145 and @ad < "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
108	BRS	S148	86	S145 not S146	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
109	BRS	S147	0	S146 not S145	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
110	BRS	S144	53	S123 and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
111	BRS	S135	438	178/15,19.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
112	BRS	S134	230	365/114,115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
113	BRS	S143	4	S123 and S135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
114	BRS	S142	2	S123 and S134	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
115	BRS	S141	22	S123 and S133	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
116	BRS	S140	86	S123 and S132	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
117	BRS	S139	49	S123 and S131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
118	BRS	S138	262	S123 and S130	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
119	BRS	S136	988	362/118,33,97.ccls.	US-PGPUB; USPAT; USOCR
120	BRS	S129	251	S127 or S128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
121	BRS	S128	32	S126 and "362"/118.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
122	BRS	S127	221	S126 and "345"/179,183,180,182.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
123	BRS	S126	16239	S124 and S125	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
124	BRS	S125	210604	((light emitting diod\$4) or "LED" with switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
125	BRS	S123	15715	S111 and S119 and S122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
126	BRS	S124	345606	((light pen) or stylus or (input apparatus or device or pen)) or (pen light) or (pen with (scanner pen head))) or (writting (tool or apparatus or pen))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
127	BRS	S122	955589	S120 or S121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
128	BRS	S121	290439	((light (source or bulb)) or ((light emitting diod\$4) or "LED")) and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
129	BRS	S120	872645	(light emitting diod\$4) or "LED"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
130	BRS	S119	48481	S111 and ((power source) or batter\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
131	BRS	S118	111034	"362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
132	BRS	S117	27696	"715"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
133	BRS	S116	28678	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
134	BRS	S133	1297	348/14.01,141.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
135	BRS	S132	6465	362/102,110-114,116- 120,800,802,812,579.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
136	BRS	S131	318	"362"/118.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
137	BRS	S130	2043	"345"/179,183,180,182.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
138	BRS	S115	0	"286"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
139	BRS	S114	57039	"382"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
140	BRS	S113	77338	"348"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
141	BRS	S112	80319	"345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
142	BRS	S111	345597	((light pen) or stylus or (input apparatus or device or pen)) or (pen light) or (pen with (scanner pen head)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB